



SOCKET & ACCESSORIES





• 1/4" DR SOCKET SET - 8PCS

Number	Contents
101A	1/4" DR Socket 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm Driver Type Handle 55mm Socket Case



• 1/4" DR SOCKET SET - 9PCS

Number	Contents
101B	1/4" DR Socket 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm Driver Type Handle 55mm Socket Case



• 3/8" DR SOCKET SET - 11PCS

Number	Contents
101C	3/8" DR Socket 10mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm 13/16" Spark Plug Ratchet Wrench 200mm Straight Joint Driver Extension 75mm Socket Case



• 1/4" - 3/8" DR SOCKET SET - 21PCS

Number	Contents
101D	1/4" DR Socket 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm Ratchet Wrench 200mm Straight Joint Driver Extension 75mm, 150mm 3/8" DR Socket 10mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm 13/16" Spark Plug Adaptor Driver Type Handle 55mm Socket Case



• 1/2" DR SOCKET SET - 9PCS

Number	Contents
101E	1/2" DR Socket 10mm, 11mm, 12mm, 14mm, 17mm, 19mm, 22mm, 24mm Offset handle 230mm Socket Case

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.



• 1/2" DR SOCKET SET - 13PCS

Number	Contents
101F	1/2" DR Socket 8mm, 10mm, 11mm, 12mm, 14mm, 17mm, 19mm, 22mm, 24mm, 27mm Ratchet Wrench 250mm Hinged Handle 250mm Socket Case



• 1/2" DR SOCKET SET - 17PCS

Number	Contents
101G	1/2" DR Socket 10mm, 11mm, 12mm, 14mm, 17mm, 19mm, 22mm, 24mm, 27mm, 30mm, 32mm Ratchet Wrench 250mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm, 250mm Socket Case



• 1/2" DR SOCKET SET - 24PCS

Number	Contents
101H	1/2" DR Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 27mm, 30mm, 32mm Ratchet Wrench 250mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm, 250mm Universal Joint 75mm Socket Case



• 1/2" DR SOCKET SET - 28PCS

Number	Contents
101I	1/2" DR Socket 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 30mm, 32mm Ratchet Wrench 250mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm, 250mm Universal Joint 75mm Screwdriver socket 52mm Socket Case

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.




• 1/2" DR SOCKET SET - 32PCS

Number	Contents
101J	1/2" DR Socket 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 28mm, 30mm, 32mm 13/16" Spark Plug Ratchet Wrench 250mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm, 250mm Universal Joint 75mm Screwdriver socket 52mm Offset Handle 230mm Socket Case



• 3/4" DR SOCKET SET - 14PCS

Number	Contents
101K	3/4" DR Socket 21mm, 24mm, 27mm, 30mm, 32mm, 34mm, 36mm, 38mm, 41mm, 46mm, 50mm Ratchet Wrench 320mm 3/4" DR Sliding T-Handle 400mm Driver Extension 200mm Socket Case



• 3/4" DR SOCKET SET - 21PCS

Number	Contents
101L	3/4" DR Socket 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm, 34mm, 36mm, 38mm, 41mm, 46mm, 50mm Ratchet Wrench 320mm 3/4" DR Sliding T-Handle 400mm Driver Extension 200mm Socket Case



• 3/4" * 1" DR SOCKET SET - 26PCS

Number	Contents
101M	3/4" DR Socket 21mm, 22mm, 23mm, 24mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm, 34mm, 36mm, 38mm, 41mm, 46mm, 50mm, 55mm, 60mm, 65mm Ratchet Wrench 160mm 3/4" DR Sliding T-Handle 400mm Driver Extension 200mm, 430mm 3/4" DR Flex Ball Joint 120mm 3/4" * 1" Sliding T-Handle Socket Case




• 1" DR SOCKET SET - 18PCS

Number	Contents
101N	1" DR Socket 30mm, 31mm, 32mm, 34mm, 36mm, 38mm, 41mm, 46mm, 50mm, 55mm, 60mm, 65mm, 70mm, 75mm, 80mm 1" DR Sliding T-Handle Driver Extension 200mm 1" DR Flex Ball Joint 120mm Socket Case

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.



• 1/4" DR STANDARD SOCKET (6PT, 12PT)

Number	S mm	L mm	Be-Cu g	Al-Cu g
102-4	4	25	11	10
102-4.5	4.5	25	11	10
102-5	5	25	12	10
102-5.5	5.5	25	12	10
102-6	6	25	13	10
102-7	7	25	13	10
102-8	8	25	15	10
102-9	9	25	21	20
102-10	10	25	22	20
102-11	11	25	22	20
102-12	12	26	25	22
102-13	13	26	26	24
102-14	14	26	27	25
102-15	15	27	33	30
102-16	16	27	34	31
102-17	17	27	35	32
102-18	18	27	36	33
102-19	19	27	38	35

Number	S Inch	L mm	Be-Cu g	Al-Cu g
102-1002	5/32	25	11	10
102-1004	3/16	25	11	10
102-1006	7/32	25	11	10
102-1008	1/4	25	11	10
102-1010	9/32	25	11	10
102-1012	5/16	25	17	15
102-1014	11/32	28	21	20
102-1016	3/8	28	23	21
102-1018	7/16	28	25	23
102-1020	1/2	28	33	30

• 1/2" DR STANDARD SOCKET (6PT, 12PT)

Number	S mm	L mm	Be-Cu g	Al-Cu g
104-6	6	40	75	69
104-7	7	40	77	70
104-8	8	40	77	70
104-9	9	40	78	71
104-10	10	40	78	71
104-11	11	40	79	72
104-12	12	40	79	72
104-13	13	40	80	73
104-14	14	40	80	73
104-15	15	40	82	75
104-16	16	40	85	77
104-17	17	40	88	80
104-18	18	42	90	82
104-19	19	42	110	100
104-20	20	42	120	110
104-21	21	43	137	125
104-22	22	43	143	130
104-23	23	43	159	145
104-24	24	43	186	170
104-25	25	43	197	180
104-26	26	43	207	190
104-27	27	46	235	215
104-28	28	46	245	225
104-29	29	46	250	230
104-30	30	46	285	260
104-32	32	46	320	290

• 3/8" DR STANDARD SOCKET (6PT, 12PT)


Number	S mm	L mm	Be-Cu g	Al-Cu g
103-5	5	28	20	18
103-5.5	5.5	28	21	19
103-6	6	28	22	20
103-7	7	28	22	20
103-8	8	28	23	21
103-9	9	28	24	22
103-10	10	32	39	35
103-11	11	32	40	37
103-12	12	32	41	38
103-13	13	32	42	39
103-14	14	32	45	40
103-15	15	32	50	45
103-16	16	32	55	50
103-17	17	32	59	54
103-19	19	32	60	55
103-20	20	32	61	56

Number	S Inch	L mm	Be-Cu g	Al-Cu g
103-1002	5/16	32	22	20
103-1004	3/8	32	31	28
103-1006	7/16	32	39	36
103-1008	1/2	32	40	38
103-1010	9/16	32	46	42
103-1012	5/8	35	70	65
103-1014	11/16	35	72	67
103-1016	3/4	35	75	69
103-1018	13/16	35	87	80
103-1020	7/8	35	93	85
103-1022	15/16	35	104	95

Number	S Inch	L mm	Be-Cu g	Al-Cu g
104-1002	5/16	40	78	71
104-1004	3/8	40	78	71
104-1006	7/16	40	79	72
104-1008	1/2	40	79	72
104-1010	9/16	40	80	73
104-1012	5/8	40	88	80
104-1014	11/16	40	93	85
104-1016	3/4	42	99	90
104-1018	13/16	43	120	110
104-1020	7/8	43	142	130
104-1022	15/16	43	148	135
104-1024	1	43	159	145
104-1026	1-1/16	46	241	220
104-1028	1-1/4	47	276	240
104-1030	1-7/16	47	308	340

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.



• 3/4" DR STANDARD SOCKET (6PT, 12PT)

Number	S mm	L mm	Be-Cu g	Al-Cu g
105-17	17	50	246	225
105-19	19	50	246	225
105-21	21	55	268	245
105-22	22	55	268	245
105-23	23	55	306	280
105-24	24	55	307	280
105-26	26	55	307	280
105-27	27	55	312	285
105-28	28	55	339	310
105-29	29	55	350	320
105-30	30	60	410	370
105-31	31	60	430	380
105-32	32	60	465	410
105-34	34	60	480	440
105-36	36	60	510	465
105-38	38	60	555	510
105-41	41	65	660	640
105-46	46	65	830	705
105-50	50	70	945	840

Number	S Inch	L mm	Be-Cu g	Al-Cu g
105-1002	3/4	50	240	220
105-1004	13/16	55	262	240
105-1006	7/8	55	267	245
105-1008	15/16	55	305	280
105-1010	1	55	310	280
105-1012	1-1/16	55	315	285
105-1014	1-1/8	55	345	315
105-1016	1-3/16	60	400	365
105-1018	1-1/4	60	437	400
105-1020	1-5/16	60	472	430
105-1022	1-3/8	60	515	470
105-1024	1-7/16	60	525	480
105-1026	1-1/2	60	580	530
105-1028	1-5/8	65	702	640
105-1030	1-3/4	65	761	695
105-1032	1-13/16	65	830	705
105-1034	1-7/8	65	850	710
105-1036	2	70	930	850


• 1" DR STANDARD SOCKET (6PT, 12PT)

Number	S mm	L mm	Be-Cu g	Al-Cu g
106-22	22	55	361	330
106-24	24	55	372	340
106-25	25	55	377	345
106-26	26	55	383	350
106-27	27	55	394	360
106-28	28	55	397	363
106-29	29	55	399	365
106-30	30	60	443	405
106-31	31	60	448	410
106-32	32	60	481	440
106-34	34	60	497	455
106-36	36	60	505	462
106-38	38	60	568	520
106-41	41	65	630	570
106-46	46	65	785	685
106-50	50	70	890	790
106-55	55	75	1090	940
106-60	60	75	1220	1130
106-65	65	80	1455	1280
106-70	70	80	1550	1417
106-75	75	85	2160	1910
106-80	80	85	2405	2130

Number	S Inch	L mm	Be-Cu g	Al-Cu g
106-1002	1-1/16	55	394	360
106-1004	1-1/8	55	398	364
106-1006	1-3/16	60	442	405
106-1008	1-1/4	60	470	431
106-1010	1-5/16	60	483	442
106-1012	1-3/8	60	490	448
106-1014	1-7/16	60	520	460
106-1016	1-1/2	60	562	522
106-1018	1-5/8	65	633	573
106-1020	1-7/8	65	778	706
106-1022	2	70	910	808
106-1024	2-1/4	75	1192	1072
106-1026	2-1/2	75	1375	1240
106-1028	2-3/4	80	1505	1377
106-1030	3	80	1670	1525

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.



• 3/4" DR STANDARD IMPACT SOCKET

Number	S mm	L mm	Be-Cu g	Al-Cu g
107-24	24	55	380	330
107-27	27	55	430	360
107-30	30	60	550	470
107-32	32	60	580	515
107-36	36	60	635	565
107-41	41	65	880	765
107-46	46	65	950	870
107-50	50	70	1200	1003

• 1 3/16" DR STANDARD IMPACT SOCKET

Number	S mm	L mm	Be-Cu g	Al-Cu g
109-50	50	90	1930	1755
109-52	52	90	2005	1835
109-55	55	90	2180	1965
109-58	58	90	2200	2000
109-60	60	90	2290	2085
109-65	65	90	2610	2370
109-70	70	90	2840	2585
109-75	75	90	3190	2880
109-80	80	90	3605	3250

• 1" DR STANDARD IMPACT SOCKET

Number	S mm	L mm	Be-Cu g	Al-Cu g
108-19	19	60	680	622
108-21	21	60	700	640
108-22	22	60	720	658
108-24	24	60	725	663
108-26	26	60	730	667
108-27	27	60	735	672
108-29	29	60	760	690
108-30	30	60	770	704
108-32	32	60	790	710
108-34	34	70	850	772
108-35	35	70	902	825
108-36	36	70	910	835
108-38	38	70	930	855
108-41	41	70	970	890
108-46	46	80	1380	1265
108-50	50	80	1630	1490
108-52	52	90	1790	1640
108-55	55	90	1970	1800
108-58	58	90	2080	1900
108-60	60	90	2200	2000
108-65	65	90	2460	2250
108-70	70	90	2890	2600
108-75	75	90	3155	2900
108-80	80	90	3560	3200

• 1 1/4" DR STANDARD IMPACT SOCKET


Number	S mm	L mm	Be-Cu g	Al-Cu g
110-70	70	90	2750	2475

• 1 1/2" DR STANDARD IMPACT SOCKET

Number	S mm	L mm	Be-Cu g	Al-Cu g
110A-55	55	90	2020	1825
110A-60	60	90	2360	2135
110A-65	65	90	2390	2165
110A-70	70	90	2670	2415
110A-75	75	100	3180	2875
110A-80	80	100	3460	3130
110A-85	85	110	3950	3575
110A-90	90	110	4230	3830


* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.




• FLEX BALL JOINT

Number	C Inch	L mm	Ø mm	Be-Cu g	Al-Cu g
111-1002	3/4	120	21	860	780
111-1004	1	120	21	1115	1020




• UNIVERSAL JOINT

Number	C inch	L mm	Be-Cu g	Al-Cu g
112-1002	1/2	80	186	170




• INTERNAL HEXAGON SOCKET

Number	C Inch	L mm	Ø mm	Be-Cu g	Al-Cu g
111A-1003	1/4	3	55	17	16
111A-1004		4	55	17	16
111A-1005		5	55	20	18
111A-1006		6	55	26	23
111A-1007		7	55	30	27
111A-1008		8	65	45	40
111A-1009		9	65	55	50
111A-1010		10	65	65	60



• ADAPTOR

Number	□ Inch	■ Inch	L mm	Be-Cu g	Al-Cu g
113-1002	3/8	1/4	26	22	20
113-1004	1/4	3/8	22	22	20
113-1006	1/2	3/8	34	80	70
113-1008	3/8	1/2	34	50	45
113-1010	3/4	1/2	55	290	260
113-1012	1/2	3/4	50	170	150
113-1014	1	3/4	70	855	770
113-1016	3/4	1	60	360	320
113-1018	1-1/2	1	85	1675	1510
113-1020	1	1-1/2	85	1230	1100



• SOCKET WRENCH, TRIANGULAR

Number	C Inch	L mm	Ø mm	Be-Cu g	Al-Cu g
111B-1002	1/2	6	40	75	70
111B-1004		8	40	80	75
111B-1006		10	40	85	80
111B-1008		12	40	95	90
111B-1010		16	50	180	150
111B-1012		20	50	250	215
111B-1014		24	60	470	436




• SCREWDRIVER SOCKET

Number	C Inch	L mm	H mm	B mm	Be-Cu g	Al-Cu g
114-1002	1/2	52	2	13	102	91


* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.




• RATCHET WRENCH

Number	C Inch	L mm	Ø mm	H mm	Be-Cu g	Al-Cu g
115-1002	3/4	160	21	55	1660	1530
115-1004	1	180	23	60	3270	2960




• HINGED HANDLE

Number	C Inch	L mm	L1 mm	Be-Cu g	Al-Cu g
118-1002	3/8	190	175	230	210
118-1004	1/2	250	230	350	310
118-1006	1/2	320	300	420	380
118-1008	1/2	400	380	601	550
118-1010	3/4	286	260	635	570
118-1012	1	304	270	910	830




• SLIDING T TYPE WRENCH

Number	C Inch	L mm	Ø mm	H mm	Be-Cu g	Al-Cu g
116-1002	3/4	350	19	189	1505	1375
116-1004	1	400	21	190	2525	2310



• RATCHET WRENCH

Number	C Inch	L mm	H mm	Be-Cu g	Al-Cu g
119-1002	1/4	200	16.5	350	305
119-1004	3/8	175	16.5	335	302
119-1006	3/8	200	16.5	370	313
119-1008	1/2	250	16.5	460	410
119-1010	3/4	300	22	1080	1002
119-1012	1	300	22	1405	1275



• SLIDING T HANDLE

Number	C Inch	L mm	Ø mm	H mm	Be-Cu g	Al-Cu g
117-1002	1/2	250	39	13	330	302
117-1004	3/4	350	54	19	1070	978
117-1006	3/4	400	56	21	1335	1221
117-1008	1	400	62	21	1620	1481




• RATCHET WRENCH

Number	C Inch	L mm	H mm	Be-Cu g	Al-Cu g
120-1002	1/2	245	43	690	615
120-1004	3/4	320	57	1570	1430
120-1006	1	550	67	3400	3070


* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.




• OFFSET HANDLE

Number	C Inch	L mm	H mm	Be-Cu g	Al-Cu g
121-1002	3/8	200	50	314	287
121-1004	1/2	230	60	410	380
121-1006	3/4	280	75	765	699
121-1008	1	300	85	1160	1060




• WRENCH, SOCKET L-TYPE

Number	S mm	L mm	H mm	Be-Cu g	Al-Cu g
121A-1006	6	120	29	100	90
121A-1008	8	145	33	150	135
121A-1010	10	168	37	200	180
121A-1012	12	215	42	220	200
121A-1013	13	240	45	250	225
121A-1014	14	245	45	300	275
121A-1015	15	250	48	350	315
121A-1016	16	255	48	500	450
121A-1017	17	260	51	550	500
121A-1018	18	265	53	550	500
121A-1019	19	270	55	550	500
121A-1020	20	272	57	600	545
121A-1021	21	275	57	750	680
121A-1022	22	278	59	750	680
121A-1023	23	282	60	800	725
121A-1024	24	286	63	850	770
121A-1027	27	294	69	900	820
121A-1030	30	302	75	1000	910
121A-1032	32	310	81	1100	1000
121A-1036	36	330	85	1300	1180
121A-1041	41	350	90	1380	1250




• DRIVER EXTENSION

Number	C Inch	L mm	Be-Cu g	Al-Cu g
122-1002	3/8	75	93	80
122-1004	3/8	150	185	160
122-1006	1/2	100	245	225
122-1008	1/2	125	260	230
122-1010	1/2	200	485	445
122-1012	1/2	250	510	455
122-1014	3/4	200	960	870
122-1016	1	200	1580	1410



• SPEED HANDLE

Number	C Inch	L mm	H mm	Be-Cu g	Al-Cu g
123-1002	1/2	390	96	780	700



• DRIVER TYPE HANDLE

Number	C Inch	L mm	L1 mm	Be-Cu g	Al-Cu g
124-1002	1/4	140	55	62	55

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.