





SHEARS & PLIERS






• SHEARS, CUTTING

Number	L mm	B mm	Be-Cu g	Al-Cu g
242-1002	150	61	90	82




• SHEARS, CUTTING

Number	L mm	B mm	Be-Cu g	Al-Cu g
243-1002	290	91	235	215
243-1004	360	107	900	823




• SHEARS, TIN

Number	L mm	B mm	Be-Cu g	Al-Cu g
244-1002	300	75	488	410




• SCISSORS

Number	L inch	L mm	B mm	Be-Cu g	Al-Cu g
244A-1002	9	225	98	245	210




• PLIERS, ADJUSTABLE COMBINATION

Number	L inch	L mm	K mm	Be-Cu g	Al-Cu g
245-1002	6	152	8	213	195
245-1004	8	203	13	323	295




• PLIERS, LINEMAN

Number	L inch	L mm	Be-Cu g	Al-Cu g
246-1002	6	150	180	165
246-1004	7	175	306	280
246-1006	8	200	405	370
246-1008	10	250	502	460



• PLIERS, CUTTING

Number	L inch	L mm	Be-Cu g	Al-Cu g
247-1002	8	200	470	420




• PLIER, DIAGONAL CUTTING

Number	L inch	L mm	Be-Cu g	Al-Cu g
248-1002	6	150	205	188
248-1004	8	200	310	284


* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.




• PINCERS

Number	L inch	L mm	Be-Cu g	Al-Cu g
249-1002	8	190	325	300




• PLIERS, FLAT NOSE

Number	L inch	L mm	Be-Cu g	Al-Cu g
250-1002	6	150	165	151
250-1004	8	200	281	257




• PLIERS, CROOVE JOINT

Number	L inch	L mm	K _{max} mm	Be-Cu g	Al-Cu g
251-1002	6	150	25	150	137
251-1004	10	250	45	453	414
251-1006	12	300	55	745	700
251-1008	14	360	55	790	723




• PLIERS, SLIP JOINT

Number	L inch	L mm	K _{max} mm	Be-Cu g	Al-Cu g
252-1002	10	250	32	365	335




• PLIERS, WATER PUMP

Number	L inch	L mm	K _{max} mm	Be-Cu g	Al-Cu g
252A-1002	10	250	32	325	310
252A-1004	12	300	52	665	610




• PLIERS, SNIPE NOSE

Number	L inch	L mm	L ₁ mm	Be-Cu g	Al-Cu g
253-1002	6	150	54	165	151
253-1004	8	200	74	305	280



• PLIERS, LONG NOSE

Number	L inch	L mm	L ₁ mm	Be-Cu g	Al-Cu g
254-1002	6	150	54	165	151
254-1004	8	200	74	305	280




• PLIERS, ROUND NOSE

Number	L inch	L mm	Be-Cu g	Al-Cu g
255-1002	6	150	145	133


* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.




• PLIERS, SNAP RING - INTERNAL

Number	L inch	L mm	Be-Cu g	Al-Cu g
256-1002	8	200	280	256
256-1004	10	250	415	380





• PLIERS, SNAP RING - EXTERNAL

Number	L inch	L mm	Be-Cu g	Al-Cu g
257-1002	8	200	290	265
257-1004	10	250	415	380





• BOLT CHIPPER

Number	L mm	Be-Cu g	Al-Cu g
257A-1002	600	3350	3070




• CRIMPING TOOL, INSULATED CABLE CONNECTORS

Number	L inch	L mm	Be-Cu g	Al-Cu g
257B-1002	8	200	225	205




• WIRE STRIPPING PLIERS

Number	L mm	Be-Cu g	Al-Cu g
257C-1002	170	225	205



• TWEEZERS, NEAT TIPS

Number	L mm	Be-Cu g	Al-Cu g
258-1002	150	25	30
258-1004	200	40	50



• TWEEZERS, FLAT NOSE

Number	L mm	B mm	Be-Cu g	Al-Cu g
258A-1002	100	8	25	30
258A-1004	200	15	55	65

* Other sizes are available upon request.

* Pictures and specifications are subject to change without prior notice.