


**OH Series Square Drive Open End**

For Rectangular Shank Head Torque Wrenches



**OH** Model

Metric

Item No.	Opening Size mm	Shank Size mm	A mm	H mm	D mm	Weight g
OH94	4	9x12	17.5	4	22	35
OH95	5	9x12	17.5	4	22	35
OH95.5	5.5	9x12	17.5	5	22	38
OH96	6	9x12	17.5	5.5	22	42
OH97	7	9x12	17.5	5.5	22	38
OH98	8	9x12	17.5	5.5	22	40
OH99	9	9x12	17.5	6	25	44
OH910	10	9x12	17.5	6	25	45
OH911	11	9x12	17.5	6	25	42
OH912	12	9x12	17.5	7	29	49
OH913	13	9x12	17.5	7	29	50
OH914	14	9x12	17.5	8	33	59
OH915	15	9x12	17.5	8	33	57
OH916	16	9x12	17.5	8	38	56
OH917	17	9x12	17.5	8	38	61
OH918	18	9x12	25*	8	42.5	93
OH919	19	9x12	25*	8	42.5	89
OH920	20	9x12	25*	8	48	90
OH921	21	9x12	25*	8	48	105
OH922	22	9x12	25*	8	48	100
OH923	23	9x12	25*	8	52	100
OH924	24	9x12	25*	8	52	109
OH925	25	9x12	30*	8	57	110
OH926	26	9x12	30*	8	57	110
OH927	27	9x12	30*	8	57	136
OH928	28	9x12	30*	8	57	142
OH929	29	9x12	30*	8	57	142
OH930	30	9x12	35*	8	65	195
OH931	31	9x12	35*	8	65	145
OH932	32	9x12	35*	8	65	190
OH933	33	9x12	40*	8	68	145
OH934	34	9x12	40*	8	68	145
OH935	35	9x12	40*	8	68	145
OH936	36	9x12	40*	8	68	145
OH937	37	9x12	40*	8	68	145
OH938	38	9x12	40*	8	68	145
OH939	39	9x12	50*	8	83.5	145
OH940	40	9x12	50*	8	83.5	145
OH941	41	9x12	50*	8	83.5	145
OH942	42	9x12	50*	8	90	160
OH943	43	9x12	50*	8	90	165
OH944	44	9x12	50*	8	90	165
OH945	45	9x12	50*	8	90	165
OH946	46	9x12	50*	8	90	165
OH947	47	9x12	55*	8	100	175

Item No.	Opening Size mm	Shank Size mm	A mm	H mm	D mm	Weight g
OH948	48	9x12	55*	8	100	175
OH949	49	9x12	55*	8	100	175
OH950	50	9x12	55*	8	100	175
OH951	51	9x12	55*	8	100	175
OH952	52	9x12	55*	8	100	175
OH953	53	9x12	55*	8	100	175
OH954	54	9x12	55*	8	100	175
OH955	55	9x12	55*	8	100	175
OH956	56	9x12	60*	8	110	215
OH957	57	9x12	60*	8	110	215
OH958	58	9x12	60*	8	110	215
OH960	60	9x12	60*	8	110	215
OH962	62	9x12	60*	8	110	215
OH963	63	9x12	60*	8	110	215
OH965	65	9x12	65*	8	117	225
OH966	66	9x12	65*	8	117	225
OH967	67	9x12	65*	8	117	225
OH968	68	9x12	65*	8	117	225
OH970	70	9x12	65*	8	117	225
OH975	75	9x12	75*	8	125	240
OH980	80	9x12	80*	8	155	175
OH985	85	9x12	80*	8	155	175
OH990	90	9x12	90*	8	165	300
OH991	91	9x12	90*	8	165	300
OH995	95	9x12	90*	8	170	310
OHI46	6	14x18	25	7	30	120
OHI47	7	14x18	25	7	30	120
OHI48	8	14x18	25	7	30	120
OHI49	9	14x18	25	7	30	118
OHI410	10	14x18	25	7	30	116
OHI411	11	14x18	25	7	30	114
OHI412	12	14x18	25	7	30	112
OHI413	13	14x18	25	8	32	121
OHI414	14	14x18	25	8	32	128
OHI415	15	14x18	25	8	32	116
OHI416	16	14x18	25	9	38	116
OHI417	17	14x18	25	9	38	136
OHI418	18	14x18	25	10	42	151
OHI419	19	14x18	25	10	41	150
OHI420	20	14x18	25	12	48	145
OHI421	21	14x18	25	12	48	182
OHI422	22	14x18	25	12	48	180
OHI423	23	14x18	25	13	52	156
OHI424	24	14x18	25	13	51.5	185
OHI425	25	14x18	25	13	52	163

Item No.	Opening Size mm	Shank Size mm	A mm	H mm	D mm	Weight g
OH1426	26	14x18	30*	14	57	163
OH1427	27	14x18	30*	14	57.5	228
OH1428	28	14x18	30*	14	57	255
OH1429	29	14x18	30*	14	57	255
OH1430	30	14x18	35*	14	65	269
OH1431	31	14x18	35*	14	65	255
OH1432	32	14x18	35*	14	65	266
OH1433	33	14x18	40*	14	68	360
OH1434	34	14x18	40*	14	68	317
OH1435	35	14x18	40*	14	68	365
OH1436	36	14x18	40*	14	68	365
OH1437	37	14x18	40*	14	68	440
OH1438	38	14x18	40*	14	68	440
OH1439	39	14x18	50*	14	83	435
OH1440	40	14x18	50*	14	83	430
OH1441	41	14x18	50*	14	83	430
OH1442	42	14x18	50*	14	83	430
OH1443	43	14x18	50*	14	90	480
OH1444	44	14x18	50*	14	90	550
OH1445	45	14x18	50*	14	90	600
OH1446	46	14x18	50*	14	90	595
OH1447	47	14x18	55*	14	100	595
OH1448	48	14x18	55*	14	100	595
OH1449	49	14x18	55*	14	100	610
OH1450	50	14x18	55*	14	100	610
OH1451	51	14x18	55*	14	100	600
OH1452	52	14x18	55*	14	100	600
OH1453	53	14x18	55*	14	100	600
OH1454	54	14x18	55*	14	100	600
OH1455	55	14x18	55*	14	100	585
OH1456	56	14x18	60*	14	110	650
OH1457	57	14x18	60*	14	110	650
OH1458	58	14x18	60*	14	110	650
OH1459	59	14x18	60*	14	110	650
OH1460	60	14x18	60*	14	110	650
OH1461	61	14x18	60*	14	110	640
OH1462	62	14x18	60*	14	110	650
OH1464	64	14x18	60*	14	110	650
OH1465	65	14x18	70*	14	130	680
OH1466	66	14x18	70*	14	130	680
OH1467	67	14x18	70*	14	130	690
OH1468	68	14x18	70*	14	130	690
OH1470	70	14x18	70*	14	130	700
OH1472	72	14x18	70*	14	130	690
OH1475	75	14x18	70*	14	130	720
OH1477	77	14x18	80*	14	150	730
OH1478	78	14x18	80*	14	150	730
OH1479	79	14x18	80*	14	150	730
OH1480	80	14x18	80*	14	156	750
OH1485	85	14x18	80*	14	156	750
OH1486	86	14x18	80*	14	156	750
OH1488	88	14x18	80*	14	156	775
OH1490	90	14x18	80*	14	156	750
OH1495	90	14x18	90	14	186	850
OH14100	100	14x18	95	14	195	950
OH2413	13	24x32	35	25	50	650
OH2414	14	24x32	35	25	50	650
OH2415	15	24x32	35	25	50	650
OH2416	16	24x32	35	25	50	650
OH2417	17	24x32	35	25	50	650
OH2418	18	24x32	35	25	50	650
OH2419	19	24x32	35	25	50	650
OH2420	20	24x32	35	25	61	680
OH2421	21	24x32	35	25	61	680

Item No.	Opening Size mm	Shank Size mm	A mm	H mm	D mm	Weight g
OH2422	22	24x32	35	25	61	700
OH2424	24	24x32	35	25	61	680
OH2425	25	24x32	35	25	61	680
OH2426	26	24x32	35	25	66.5	715
OH2427	27	24x32	35	25	66.5	718
OH2428	28	24x32	35	25	66.5	719
OH2429	29	24x32	35	25	66.5	720
OH2430	30	24x32	35	25	68	720
OH2432	32	24x32	35	25	68	725
OH2433	33	24x32	40*	25	73.5	809
OH2434	34	24x32	40*	25	73.5	730
OH2435	35	24x32	40*	25	73.5	730
OH2436	36	24x32	40*	25	73.5	735
OH2438	38	24x32	40*	25	73.5	809
OH2440	40	24x32	40*	25	74	800
OH2441	41	24x32	50*	25	86	925
OH2442	42	24x32	50*	25	92	1000
OH2444	44	24x32	50*	25	92	1000
OH2445	45	24x32	50*	25	92	1000
OH2446	46	24x32	50*	25	92	1000
OH2447	47	24x32	55*	25	104	1000
OH2448	48	24x32	55*	25	104	1100
OH2450	50	24x32	55*	25	104	1150
OH2451	51	24x32	55*	25	104	1150
OH2455	55	24x32	55*	25	104	1300
OH2456	56	24x32	60*	25	114	1300
OH2457	57	24x32	60*	25	114	1330
OH2460	60	24x32	60*	25	114	1330
OH2462	62	24x32	60*	25	114	1330
OH2465	65	24x32	70*	25	134	1337
OH2467	67	24x32	70*	25	134	1415
OH2468	68	24x32	70*	25	134	1415
OH2470	70	24x32	70*	25	134	1620
OH2475	75	24x32	70*	25	134	1650
OH2480	80	24x32	80*	25	155	1650
OH2485	85	24x32	85*	25	160	1700
OH2495	95	24x32	90*	25	170	1750
OH2717	17	27x36	40	28	58.5	1250
OH2718	18	27x36	40	28	58.5	1250
OH2719	19	27x36	40	28	58.5	1250
OH2720	20	27x36	50	28	72.5	1250
OH2722	22	27x36	50	28	72.5	1250
OH2724	24	27x36	50	28	72.5	1250
OH2726	26	27x36	50	28	78.5	1250
OH2727	27	27x36	50	28	78.5	1250
OH2728	28	27x36	50	28	78.5	1250
OH2729	29	27x36	50	28	78.5	1250
OH2730	30	27x36	50	28	85	1295
OH2732	32	27x36	50	28	85	1295
OH2734	34	27x36	50	28	88	1330
OH2736	36	27x36	50	28	88	1335
OH2738	38	27x36	50	28	90	1338
OH2740	40	27x36	50	28	92	1440
OH2741	41	27x36	50	28	92	1440
OH2742	42	27x36	50	28	98	1440
OH2744	44	27x36	50	28	98	1440
OH2745	45	27x36	50	28	98	1440
OH2746	46	27x36	50	28	98	1440
OH2750	50	27x36	55*	28	118	1450
OH2753	55	27x36	55*	25	118	1450
OH2755	55	27x36	55*	25	118	1455
OH2760	60	27x36	60*	28	130	1460
OH2761	61	27x36	65*	28	131	1462
OH2765	65	27x36	65*	28	135	1462

Item No.	Opening Size mm	Shank Size mm	A mm	H mm	D mm	Weight g
OH2770	70	27x36	70*	28	142	1465
OH2775	75	27x36	75*	28	148	1780
OH2780	80	27x36	80*	28	158	2600
OH2785	85	27x36	85*	28	164	2850

### OYH Model

English

Item No.	Opening Size	Shank Size mm	A mm	H mm	D mm	Weight g
OYH94	1/8"	9x12	17.5	5.5	22	38
OYH96	3/16"	9x12	17.5	5.5	22	38
OYH97	7/32"	9x12	17.5	5.5	22	38
OYH98	1/4"	9x12	17.5	5.5	22	38
OYH910	5/16"	9x12	17.5	5.5	22	37
OYH912	3/8"	9x12	17.5	6	25	43
OYH914	7/16"	9x12	17.5	6	25	42
OYH916	1/2"	9x12	17.5	7	29	47
OYH917	17/32"	9x12	17.5	8	33	58
OYH918	9/16"	9x12	17.5	8	33	57
OYH920	5/8"	9x12	17.5	8	38	56
OYH922	11/16"	9x12	17.5	8	38	80
OYH924	3/4"	9x12	25*	8	42.5	75
OYH926	13/16"	9x12	25*	8	48	100
OYH928	7/8"	9x12	25*	8	48	95
OYH930	15/16"	9x12	25*	8	53	110
OYH932	1"	9x12	30*	8	57	110
OYH934	1 1/16"	9x12	30*	8	57	140
OYH936	1 1/8"	9x12	35*	8	57	145
OYH940	1 1/4"	9x12	35*	8	70	145
OYH942	1 5/16"	9x12	35*	8	70	145
OYH944	1 3/8"	9x12	35*	8	80	145
OYH946	1 7/16"	9x12	40*	8	80	145
OYH948	1 1/2"	9x12	45*	8	68	145
OYH952	1 5/8"	9x12	45*	8	85	145
OYH960	1 7/8"	9x12	55*	8	100	155
OYH148	1/4"	14x18	25	7	30	110
OYH1414	7/16"	14x18	25	7	30	110
OYH1416	1/2"	14x18	25	7	30	110
OYH1418	9/16"	14x18	25	8	32	115
OYH1420	5/8"	14x18	25	9	38	128
OYH1422	11/16"	14x18	25	9	38	127
OYH1424	3/4"	14x18	25	10	42	137
OYH1426	13/16"	14x18	25	11	48	158
OYH1428	7/8"	14x18	25	11	48	155
OYH1429	29/32"	14x18	25	13	51.5	159
OYH1430	15/16"	14x18	25	13	51.5	159
OYH1431	31/32"	14x18	25	13	51.5	159
OYH1432	1"	14x18	25	13	51.5	163
OYH1434	1 1/16"	14x18	30*	14	57	230
OYH1436	1 1/8"	14x18	30*	14	57	255
OYH1438	1 3/16"	14x18	30*	14	65	255
OYH1440	1 1/4"	14x18	35*	14	65	255
OYH1442	1 5/16"	14x18	35*	14	75	280
OYH1444	1 3/8"	14x18	40*	14	68	365
OYH1446	1 7/16"	14x18	40*	14	68	365
OYH1448	1 1/2"	14x18	45*	14	85	440

Item No.	Opening Size mm	Shank Size mm	A mm	H mm	D mm	Weight g
OH2790	90	27x36	90*	28	176	2900
OH2795	95	27x36	95*	28	180	3000
OH27100	100	27x36	100*	28	195	3150

\* marks are special fittings, you should adjust the torque according to torque wrench manual

Item No.	Opening Size	Shank Size mm	A mm	H mm	D mm	Weight g
OYH1450	1 9/16"	14x18	50*	14	84	430
OYH1452	1 5/8"	14x18	50*	14	90	430
OYH1454	1 11/16"	14x18	50*	14	90	430
OYH1456	1 3/4"	14x18	50*	14	100	595
OYH1458	1 13/16"	14x18	50*	14	100	595
OYH1460	1 7/8"	14x18	50*	14	100	610
OYH1462	1 30/32"	14x18	50*	14	100	610
OYH1464	2"	14x18	55*	14	106	600
OYH1468	2 1/8"	14x18	55*	14	116	585
OYH1470	2 3/16"	14x18	60*	14	121	650
OYH1472	2 1/4"	14x18	60*	14	121	650
OYH1476	2 3/8"	14x18	60*	14	121	650
OYH1488	2 3/4"	14x18	70*	14	135	700
OYH1492	2 7/8"	14x18	70*	14	138	710
OYH2420	5/8"	24x32	35	25	62	650
OYH2424	3/4"	24x32	35	25	65	680
OYH2428	7/8"	24x32	35	25	61	700
OYH2429	29/32"	24x32	35	25	61	700
OYH2430	30/32"	24x32	35	25	61	700
OYH2431	31/32"	24x32	35	25	61	700
OYH2432	1"	24x32	35	25	61	700
OYH2434	1 1/16"	24x32	35	25	66.5	710
OYH2436	1 1/8"	24x32	35	25	68	719
OYH2438	1 3/16"	24x32	35	25	68.5	720
OYH2440	1 1/4"	24x32	35	25	68	602
OYH2442	1 5/16"	24x32	40	25	73.5	685
OYH2444	1 3/8"	24x32	40	25	73.5	685
OYH2446	1 7/16"	24x32	40	25	73.5	685
OYH2448	1 1/2"	24x32	40	25	73.5	685
OYH2450	1 9/16"	24x32	40	25	73.5	685
OYH2452	1 5/8"	24x32	50*	25	86	902
OYH2454	1 11/16"	24x32	50*	25	92	1000
OYH2456	1 3/4"	24x32	50*	25	92	1000
OYH2460	1 5/8"	24x32	50*	25	103	1100
OYH2464	2"	24x32	50*	25	106	1150
OYH2470	2 3/16"	24x32	55*	25	104	1150
OYH2472	2 1/4"	24x32	55*	25	120	1200
OYH2742	1 5/16"	27x36	50*	25	86	1338
OYH2748	1 1/2"	27x36	50*	28	86	1338
OYH2752	1 5/8"	27x36	50*	28	92	1250
OYH2756	1 3/4"	27x36	50*	25	92	1250
OYH2758	1 13/16"	27x36	50*	28	98	1300
OYH2760	1 5/8"	27x36	50*	25	103	1350
OYH2770	2 3/16"	27x36	55*	25	124	1455
OYH2772	2 1/4"	27x36	55*	25	124	1455
OYH2776	2 3/8"	27x36	60*	28	130	1460
OYH2782	2 9/16"	27x36	65*	25	136	1465

\* marks are special fittings, you should adjust the torque according to torque wrench manual